


Introductory Plant Nematology

[P. Parvatha Reddy](#)



ISBN	: 9789387893917	Book Format	: Book
E-ISBN	: 9789387991682	Binding	: Hard Bound
Language	: English	Edition	: 1
Imprint	: Scientific Publishers	© Year	: 2019
Pages	: 412	Trim Size	:
Weight	: Gms		

Print Book : ₹3,550.00

Individual E Book : ₹3,185.00

Institutional E Book : Price available on request

Blurb

This book gives a comprehensive account of all aspects of plant nematology and should be of profound help to the students, teachers, researchers and extension workers alike. The syllabus of ARS Net Nematology has also been fully covered in this book. Hence, persons appearing for ARS Net Nematology can also refer this book. The book is divided into eight sections. The first section describes the importance of nematodes in agriculture, presents a historical review, nematode as biological models, entomopathogenic nematodes, and lists the professional societies and their publications. Information on the nematological techniques is outlined in section two. The morphology of nematodes is described and presented in clear schematic drawings in section three. The taxonomic classification along with keys for identification of nematodes up to generic level is provided. In section four, the biology, physiology and ecology of nematodes are described. The host-parasite interactions and symptoms on aerial and under-ground infestation by different nematodes are described and depicted in many photographs in section five. In section six, the interrelationships between nematodes and fungi, bacteria and viruses are discussed. Management of nematode diseases by host resistance and by suppression of nematode population through regulatory, physical, cultural, chemical, biological, and integrated methods have been presented in section seven. The last section of the book discusses the most important nematode induced diseases of horticultural, plantation and spices, commercial and field crops and their management. The selected references provide convenient entry to both current and older literature. Very useful information in the form of common names of nematodes and a glossary of nematological terms are provided in Annexures. This book will give students, teachers, researchers and extension workers with an overview of the entire field of Plant Nematology.

Table of Contents

Preface

Section I. INTRODUCTION

1. Nematodes – An Overview

- 1.1. Introduction
- 1.2. Importance of nematodes in agriculture
- 1.3. Historical
- 1.4. Nematodes as biological models - *Caenorhabditis elegans*
- 1.5. Entomopathogenic nematodes (EPN)
 - 1.5.1. *Steinernema carpocapsae*
 - 1.5.2. *Steinernema feltiae*
 - 1.5.3. *Steinernema glasseri*
 - 1.5.4. *Steinernema riobrave*
 - 1.5.5. *Heterorhabditis bacteriophora*
 - 1.5.6. *Heterorhabditis megidis*
 - 1.5.7. *Heterorhabditis indica*
 - 1.5.8. *Heterorhabditis marelatus*
- 1.6. Reasons for the slow progress of science of nematology

- 1.7. Factors responsible for the development of nematology as a separate discipline
- 1.8. Training of nematologists
- 1.9. Professional societies and publications
- 1.10. Early books on plant nematology

Section II. NEMATOLOGICAL TECHNIQUES

2. Microscopy

- 2.1. Introduction
- 2.2. Compound microscope
 - 2.2.1. Components
 - 2.2.2. Use
 - 2.2.3. Alignment and care
- 2.3. Dissecting microscope
 - 2.3.1. Use
- 2.4. Scanning electron microscope (SEM)
 - 2.4.1. Advantages
 - 2.4.2. Use
- 2.5. Drawing and measuring nematodes
 - 2.5.1. Direct measurement
 - 2.5.2. Drawing equipment
 - 2.5.3. Procedure
 - 2.5.4. Drawing nematodes for measurements

3. Sampling nematode populations

- 3.1. Sampling procedures
 - 3.1.1. Detection and survey
 - 3.1.2. Diagnosis or detection
 - 3.1.3. Advisory
 - 3.1.4. Research
- 3.2. Collection of samples
 - 3.2.1. Sampling equipment
 - 3.2.2. Timing of sample
 - 3.2.3. Sample size
 - 3.2.4. Sampling patterns
- 3.3. Care and conditioning of soil and plant tissue samples
 - 3.3.1. Handling of samples during collection and transit
 - 3.3.2. Storage

4. Extraction of nematodes from soil

- 4.1. Principles
 - 4.1.1. Weight and rate of settling
 - 4.1.2. Size and shape
 - 4.1.3. Mobility
- 4.2. Free-living nematodes
 - 4.2.1. Cotton wool filter technique

4.2.1. Cotton wool filter technique

4.2.2. Decanting and sieving technique

4.2.3. Simple extraction method for large nematodes like *Xiphinema* and *Longidorus*

4.2.4. Two-flask technique

4.2.5. Elutriation techniques

4.2.6. Centrifugal flotation technique

4.2.7. Estimating nematodes in aqueous suspensions

4.3. Extraction of cyst nematodes

4.3.1. A simple extraction method

4.3.2. Acetone or acetone: CCl₄ method

4.3.3. Paper strip method

4.3.4. Kirchner's funnel method

4.3.5. Modified Fenwick can method

4.3.6. DPI cyst separation technique

4.3.7. Oostenbrink's flotation apparatus

4.3.8. Reinmuth's centrifuging method

4.3.9. Separation of cysts from admixtures

4.3.10. Estimation of the egg content of cysts

5. Extraction of nematodes from plant material

5.1. Dissecting plant material in water

5.2. Modified Baermann funnel technique

5.3. Cotton wool filter technique

5.4. Mechanical maceration technique

5.5. Root incubation technique

5.5.1. Advantages

5.6. Mistifier technique

5.6.1. Advantages

5.6.2. Disadvantages

6. Extraction of eggs

6.1. From roots

6.1.1. With a few exposed eggs

6.1.2. With many exposed eggs

6.2. From Soil

6.2.1. Root-knot nematode eggs

6.2.2. Free living nematode eggs

7. Handling nematodes

7.1. Picking and transferring individual nematodes

7.2. Anaesthetization

7.3. Killing and fixing

7.3.1. Fixatives

7.4. Preparation of nematode mounts

7.4.1. Temporary mounts

7.4.2. Semi-permanent mounts

7.4.3. Permanent mounts

7.5. Fixation and preservation of plant material

7.6. Preparation of posterior cuticular pattern of root-knot nematodes

7.7. Preparation of vulval cone of cyst nematodes

7.8. Preparation of enface view of nematodes

8. Staining

8.1. Introduction

8.2. Roots

8.2.1. Staining by Fleming's reagent

8.2.2. Staining with picric acid and aniline blue for hardwood roots

8.2.3. Staining with bromphenol or bromthymol blue

8.2.4. Staining by aceto-osmium method

8.2.5. Staining by Lugol's solution

8.2.6. NaOCl - acid fuchsine - glycerin method

8.2.7. Differential staining of endoparasitic nematodes

8.3. Shoots

8.3.1. Staining with cotton blue or acid fuchsine in lacto-phenol

8.3.2. Staining by Fleming's reagent

8.3.3. Permanent mounts of nematodes within tissues stained with cotton blue or acid fuchsine

8.4. Staining for distinguishing live from dead nematodes

8.4.1. Staining by new blue R

8.4.2. Staining by chrysoidin

8.4.3. Staining by phloxine

8.4.4. Staining by eosin – Y

8.4.5. Staining by acridin orange

8.5. Specialized staining

8.5.1. Acetic orcein

8.5.2. Gold chloride

8.5.3. Silver nitrate

8.5.4. Vital staining

9. Microtome sectioning

9.1. Killing and fixation

9.2. Dehydration

9.2.1. Dehydration by non-solvents of paraffin

9.2.2. Dehydration in solvents of paraffin

9.3. Infiltration and embedding

9.4. Microtome sectioning

9.5. Staining

9.5.1. Staining of microtome sections

10. Culturing of nematodes

10.1. *Aphelenchoides ritzemabosi*

10.1.1. Procedure

10.2. *Ditylenchus destructor*

10.2.1. On potato tubers

10.2.2. On potato plugs

10.3. *Globodera rostochiensis* and *G. pallida*

10.3.1. Procedure

10.4. *Meloidogyne* spp. on excised tomato roots

10.4.1. Surface sterilization of tomato seed

10.4.2. Transferring of the seed

10.4.3. Planting of the root tips in a petri dish filled with the nutrient solution

10.4.4. Inoculation of excised tomato roots with the juveniles

10.4.5. Inoculation of excised tomato roots with the eggs

10.5. *Radopholus similis* and *Pratylenchus* spp. on carrot discs

10.5.1. Preparation of carrot discs

10.5.2. Selection and surface sterilization of nematodes

10.5.3. Inoculation of the carrot discs with nematodes

10.6. Entomopathogenic nematodes

10.6.1. In vivo production

10.6.2. In vitro production

11. Miscellaneous techniques

11.1. Proof of pathogenicity

11.2. Methods of estimating yield losses

11.3. Screening of germplasm

11.3.1. Screening of banana germplasm against migratory endoparasitic nematodes (*Pratylenchus coffeae* and *Radopholus similis*) under greenhouse conditions

Section III. MORPHOLOGY AND TAXONOMY

12. Morphology

12.1. Introduction

12.2. Outer body tube

12.2.1. Exoskeleton or cuticle

12.2.2. Hypodermis

12.2.3. Muscle layer

12.3. Inner body tube

12.3.1. Stomodeum

12.3.2. Intestine

12.3.3. Proctodeum

12.3.4. Glands

12.3.5. Function

12.4. Body cavity

12.4.1. Nervous system

12.4.2. Excretory system

12.4.3. Reproductive system

12.4.4. Chromosome numbers

13. Taxonomy

- 13.1. Introduction
- 13.2. Taxonomy of nematodes
 - 13.2.1. Types of specimens
- 13.3. Types of taxonomy
 - 13.3.1. Morphological taxonomy
 - 13.3.2. Molecular/ biochemical taxonomy
 - 13.3.3. Cytogenetic taxonomy
- 13.4. Morphological taxonomy
 - 13.4.1. Class Secernentea and Class Adenophorea
 - 13.4.2. Order Tylenchida and Order Dorylaimida
 - 13.4.3. Sub-order Tylenchina and Sub-order Aphelenchina
- 13.5. Sub-Order: Tylenchina
 - 13.5.1. Superfamily: Tylenchoidea
 - 13.5.2. Superfamily: Heteroderoidea
 - 13.5.3. Superfamily: Neotylenchoidea
 - 13.5.4. Superfamily: Atylenchoidea
 - 13.5.5. Superfamily: Criconematoidea
- 13.6. Sub-order Aphelenchina
 - 13.6.1. Superfamily: Aphelenchoidea
- 13.7. Sub-order: Dorylaimina
 - 13.7.1. Superfamily: Dorylaimoidea
 - 13.7.2. Superfamily: Trichoderoidea
- 13.8. Molecular/biochemical taxonomy
- 13.9. Monographic references
 - 13.9.1. Anguina
 - 13.9.2. Aphelenchoides
 - 13.9.3. Belonolaimus
 - 13.9.4. Bursaphelenchus
 - 13.9.5. Coloosia
 - 13.9.6. Criconema and Neocriconema
 - 13.9.7. Criconemella and Discocriconemella
 - 13.9.8. Ditylenchus
 - 13.9.9. Dolichodorus
 - 13.9.10. Helicotylenchus
 - 13.9.11. Hemicriconemoides
 - 13.9.12. Hemicycliophora
 - 13.9.13. Heterodera and Globodera
 - 13.9.14. Hirschmanniella
 - 13.9.15. Hoplolaimus
 - 13.9.16. Longidorus and Paralongidorus
 - 13.9.17. Macroposthonia (Criconemoides)
 - 13.9.18. Meloidogyne
 - 13.9.19. Morulaimus

- 13.9.20. Nacobbus
- 13.9.21. Paratylenchus
- 13.9.22. Peltamigratus
- 13.9.23. Pratylenchoides
- 13.9.24. Pratylenchus
- 13.9.25. Radopholus and Radopholoides
- 13.9.26. Rotylenchulus
- 13.9.27. Rotylenchus
- 13.9.28. Scutellonema
- 13.9.29. Trichodorus and Paratrichodorus
- 13.9.30. Tylenchorhynchus and Tetylenchus
- 13.9.31. Tylenchulus
- 13.9.32. Xiphinema

Section IV. BIOLOGY, PHYSIOLOGY AND ECOLOGY

14. Biology

- 14.1. Introduction
- 14.2. The egg
- 14.3. Embryology
- 14.4. Hatching
- 14.5. Molting
 - 14.5.1. The stimulus
 - 14.5.2. The receptor
 - 14.5.3. Molting
- 14.6. Significance of life histories

15. Physiology

- 15.1. Introduction
- 15.2. Chemical composition
- 15.3. Metabolism
 - 15.3.1. Respiration
 - 15.3.2. Temperature
 - 15.3.3. Moisture
- 15.4. Dormancy and longevity
- 15.5. Growth and sex determination
- 15.6. Nutrition and laboratory culturing

16. Ecology

- 16.1. Introduction
- 16.2. Vertical distribution
- 16.3. Survival
- 16.4. Population dynamics
- 16.5. Soil Environment
 - 16.5.1. Temperature
 - 16.5.2. Moisture

16.5.2. Moisture

16.5.3. Soil texture

16.5.4. Soil solutions

16.6. Climate

16.7. Plant environment

16.7.1. The rhizosphere

Section V. HOST-PARASITE INTERACTIONS

17. Feeding

17.1. Introduction

17.2. Ecological classification of plant parasitic nematodes

17.2.1. Ectoparasitic nematodes

17.2.2. Endoparasitic nematodes

17.2.3. Semi-Endoparasitic nematodes

17.3. Methods of feeding

17.3.1. Nematodes that bring about destructive cellular changes

17.3.2. Nematodes that bring about adaptive cellular changes in the host

18. Symptoms

18.1. Introduction

18.2. Symptoms produced by below-ground feeders

18.2.1. Stunting

18.2.2. Yellowing

18.2.3. Wilting

18.2.4. Root galls

18.2.5. Reduced root system

18.2.6. Root lesions

18.2.7. Rots of fleshy parts

18.2.8. Excessive root branching

18.3. Symptoms produced by above-ground feeders

18.3.1. Dead or devitalized buds

18.3.2. Crinkled and distorted stems and foliage

18.3.3. Seed galls

18.3.4. Necrosis and discoloration

18.3.5. Leaf lesions

18.3.6. Leaf galls

19. Physiologic races

19.1. Introduction

19.2. Physiological races

19.2.1. *Ditylenchus dipsaci*

19.2.2. *Globodera rostochiensis*

19.2.3. *Globodera pallida*

19.2.4. *Heterodera avenae*

19.2.5. *Heterodera glycines*

- 19.2.6. *Radopholus similis*
- 19.2.7. *Belonolaimus longicaudatus*
- 19.2.8. *Rotylenchulus reniformis*
- 19.2.9. *Meloidogyne incognita*
- 19.2.10. *Meloidogyne arenaria*
- 19.2.11. *Tylenchulus semipenetrans*

20. Histopathology

- 20.1. Introduction
- 20.2. Histopathology
 - 20.2.1. *Meloidogyne*
 - 20.2.2. *Heterodera*
 - 20.2.3. *Ditylenchus*
 - 20.2.4. *Aphelenchoides*
 - 20.2.5. *Anguina*
 - 20.2.6. *Radopholus*
 - 20.2.7. *Rotylenchulus*
 - 20.2.8. *Tylenchulus*
 - 20.2.9. *Nacobbus*
 - 20.2.10. *Meloidodera*
 - 20.2.11. *Xiphinema*

Section VI. INTERACTION WITH OTHER MICRO-ORGANISMS

21. Interaction with fungi

- 21.1. Introduction
- 21.2. Wilt disease interactions
 - 21.2.1. Root-knot and wilt disease interactions
 - 21.2.2. Cyst nematode and wilt disease interactions
 - 21.2.3. Burrowing nematode and wilt disease interactions
 - 21.2.4. Sting nematode and wilt disease interactions
 - 21.2.5. Lance nematode and wilt disease interactions
- 21.3. Root Rot Disease Interactions
 - 21.3.1. Lesion nematodes and root rot disease interactions
 - 21.3.2. Sting nematode and root rot disease interactions
 - 21.3.3. Citrus nematode and root rot disease interactions
 - 21.3.4. Root-knot nematodes and root rot disease interactions
 - 21.3.5. Cyst nematode and root rot disease interactions
- 21.4. Seedling disease interactions
 - 21.4.1. Root-knot nematodes and seedling disease interactions
 - 21.4.2. Citrus nematode and seedling disease interactions
 - 21.4.3. Reniform/lance nematodes and seedling disease interactions
- 21.5. Management of nematode - fungal disease complexes
 - 21.5.1. Breeding nematode - fungal resistant varieties
 - 21.5.2. Soil fumigation with chemicals having both nematicidal and fungicidal value

21.6. Nematodes and arbuscular mycorrhizal fungi interactions

22. Interaction with bacteria

22.1. Introduction

22.2. Wilt disease interactions

22.2.1. Root-knot nematodes and wilt disease interactions

22.2.2. Stem nematode and wilt disease interactions

22.3. Root disease interactions

22.3.1. Root-knot nematodes and root disease interactions

22.3.2. Lesion nematode and root disease interactions

22.4. Foliage disease interactions

22.5. Nematode rhizobia interactions

23. Interaction with viruses

23.1. Introduction

23.2. NEPO viruses

23.3. NETU or TOBRA viruses

23.4. Relationship between viruses and vector nematodes

23.4.1. Transmission

23.4.2. Acquisition and inoculation

23.4.3. Persistence

23.5. Mechanism of transmission

23.6. Ecology and management

23.6.1. Use of virus-free planting material

23.6.2. Weed management

23.6.3. Crop rotation

23.6.4. Resistant varieties

23.6.5. Chemical control

Section VII. MANAGEMENT METHODS

24. Regulatory methods

24.1. Plant quarantines

24.1.1. Quarantine restrictions in india

24.1.2. Quarantine restrictions in USA

24.1.3. Prevention of spread

24.1.4. Prevention of multiplication

24.2. Seed certification

25. Physical methods

25.1. Introduction

25.2. Heat

25.2.1. Heat treatment of soil

25.2.2. Hot water treatment of planting material

25.3. Soil solarization

25.3.1. Soil solarization to manage root-knot nematodes

25.4. Trenching

25.4. Irradiation

25.5. Osmotic pressure

25.6. Washing process

25.7. Seed cleaning

26. Cultural methods

26.1. Introduction

26.2. Crop rotation

26.3. Trap cropping

26.4. Fallowing

26.5. Selection of healthy propagating material

26.6. Removal or destruction of infected plants

26.7. Influence of manuring

26.8. Flooding

26.9. Cover/green manure cropping

26.10. Antagonistic plants

26.10.1. Mustard

26.10.2. Pangola grass

26.10.3. Marigold

26.10.4. Asparagus

26.10.5. Crotalaria

26.10.6. Sesame

26.10.7. Bitter cucumber

26.10.8. Carthamus tinctorius

26.10.9. Neem

26.11. Time of planting

26.12. Biofumigation

27. Chemical methods

27.1. Introduction

27.2. Historical

27.3. Groups of nematicides

27.3.1. Halogenated hydrocarbons

27.3.2. Organophosphates

27.3.3. Dithiocarbamates

27.3.4. Advantages of organophosphates and dithiocarbamates

27.3.5. Avermectins

27.4. Placement of nematicides

27.4.1. Gaseous diffusion

27.4.2. Dispersion in water

27.4.3. Mechanical mixing

27.5. Types of treatment

27.5.1. Pre-plant treatment

27.5.2. Treatment at planting time

27.5.3. Post-plant treatment

27.5.4. Bare root dip treatment

27.5.5. Seed treatment

27.5.6. Foliar treatment

27.6. Types of application

27.6.1. Over all (Broadcast) application

27.6.2. Row application

27.6.3. Spot application

27.6.4. Strip application

27.6.5. Site application

27.7. Evaluation of results

27.8. Ways by which the cost of nematicides can be reduced

27.9. Mode of action

27.9.1. Organic halides

27.9.2. Organophosphates and carbamates

27.9.3. Avermectins

28. Biological methods

28.1. Introduction

28.2. Organic amendments

28.3. Predators

28.3.1. Predacious nematodes

28.3.2. Predacious fungi

28.3.3. Tardigrades

28.3.4. Turbellarians

28.3.5. Collembola

28.3.6. Mites

28.3.7. Enchytraeids

28.3.8. Predacious protozoa

28.4. Parasites

28.4.1. Parasitic fungi

28.4.2. Bacteria

28.4.3. Viruses

28.4.4. Parasitic protozoa

28.4.5. Rickettsias

28.5. Arbuscular mycorrhizal fungi

28.5.1. Ectomycorrhizae

28.5.2. Endomycorrhizae

28.5.3. Mode of action

29. Host resistance

29.1. Introduction

29.2. Development of nematode resistant varieties

29.3. Nature of resistance

29.4. Problems associated with resistance

29.5. Biotechnological approaches for nematode resistance

29.6. Conclusion

30. Integrated management

30.1. Introduction

30.2. Integrated nematode management

30.2.1. Exclusion

30.2.2. Population reduction

30.2.3. Tolerance

30.3. Future strategies

30.4. Case descriptions

30.4.1. Potato

30.4.2. Tomato

30.4.3. Brinjal

30.4.4. Okra

30.4.5. Sweet potato

30.4.6. Carrot

30.4.7. Tobacco

30.4.8. Strawberry

Section VIII. NEMATODE PESTS OF CROP PLANTS

31. Horticultural crops

31.1. Citrus, *Citrus* spp.

31.1.1. Citrus nematode, *Tylenchulus semipenetrans*

31.1.2. Lesion nematode, *Pratylenchus coffeae*

31.1.3. Root-knot nematodes, *Meloidogyne* spp.

31.2. Banana, *Musa* spp.

31.2.1. Burrowing nematode, *Radopholus similis*

31.2.2. Lesion nematode, *Pratylenchus coffeae*

31.2.3. Spiral nematode, *Helicotylenchus multicinctus*

31.2.4. Root-knot nematodes, *Meloidogyne* spp.

31.3. Papaya, *Carica papaya*

31.3.1. Root-knot nematodes, *Meloidogyne* spp.

31.4. Grapevine, *Vitis vinifera*

31.4.1. Root-knot nematode, *Meloidogyne incognita*

31.4.2. Reniform nematode, *Rotylenchulus reniformis*

31.4.3. Dagger nematode, *Xiphinema* spp.

31.5. Guava, *Psidium guajava*

31.5.1. Root-knot nematode, *Meloidogyne enterolobii*

31.6. Pomegranate, *Punica granatum*

31.6.1. Root-knot nematode, *Meloidogyne incognita*

31.7. Potato, *Solanum tuberosum*

31.7.1. Cyst nematodes, *Globodera rostochiensis*, *G. pallida*

31.7.2. Root-knot nematodes, *Meloidogyne* spp.

31.8. Tuberose, *Polianthes tuberosa*

31.8.1. Foliar nematode, *Aphelenchoides besseyi*

31.9. Polyhouse grown vegetable and flower crops

31.9.1. Vegetable crops

31.9.2. Flower crops

31.9.3. Nematode problems

31.9.4. Management

32. Plantation and spice crops

32.1. Coffee, *Coffea* spp.

32.1.1. Lesion nematode, *Pratylenchus coffeae*

32.1.2. Root-knot nematodes, *Meloidogyne exigua*, *M. coffeicola*

32.2. Tea, *Camellia sinensis*

32.2.1. Root-knot nematodes, *Meloidogyne* spp.

32.3. Coconut, *Cocos nucifera*

32.3.1. Burrowing nematode, *Radopholus similis*

32.4. Black Pepper, *Piper nigrum*

32.4.1. Burrowing nematode, *Radopholus similis*

32.4.2. Root-knot nematode, *Meloidogyne* spp.

33. Commercial crops

33.1. Tobacco, *Nicotiana tabacum*

33.1.1. Root-knot nematodes, *Meloidogyne incognita*; *M. javanica*

33.2. Cotton, *Gossypium* spp.

33.2.1. Root-knot nematodes, *Meloidogyne incognita*

33.2.2. Reniform nematode, *Rotylenchulus reniformis*

33.3. Castor, *Ricinus communis*

33.3.1. Reniform nematode, *Rotylenchulus reniformis*

34. Field crops

34.1. Wheat, *Triticum* spp.

34.1.1. Cereal cyst nematode, *Heterodera avenae*

34.1.2. Seed gall nematode, *Anguina tritici*

34.2. Rice, *Oryza sativa*

34.2.1. Root-knot nematodes, *Meloidogyne graminicola*

34.2.2. White tip nematode, *Aphelenchoides besseyi*

34.2.3. Rice stem nematode, *Ditylenchus angustus*

34.3. Pigeon Pea, *Cajanus cajan*

34.3.1. Cyst nematode, *Heterodera cajani*

34.4. Groundnut, *Arachis hypogaea*

34.4.1. Root-knot nematodes, *Meloidogyne arenaria*, *M. javanica*

34.4.2. Stunt nematode, *Tylenchorhynchus brevilineatus*

References

Annexures

Annexure I. Quotable Quotes

Annexure II. Common Names of Nematodes

Annexure III. Nematological Journals

Annexure IV. Professional Societies for Nematologists

Annexure V. Glossary

Subject Index

This is computer generated document and does not require signature

Scientific Publishers

Date :- Wed Jun 17 2026